




Spare parts list

Rotary lobe pump

VX136QDVVA

ENGINEERED TO WORK



Issuer

Hugo Vogelsang Maschinenbau GmbH
Holthöge 10-14
49632 Essen/Oldb.

Phone: +49 54 34 83 0
Fax: +49 54 34 83 10

vogelsang-gmbh.com
info@vogelsang-gmbh.com

In the absence of express, written authorisation from the issuer, the reproduction or partial reproduction of this document in any form is prohibited.

We reserve the right to make technical modifications to the diagrams and information presented in this document in the event that such modifications become necessary for the enhancement of the machine.

© 2012 Hugo Vogelsang Maschinenbau GmbH

Registered trademarks of Vogelsang

Vogelsang, Vogelsang Logo, RotaCut, HiFlo, ACC, CFC, BioCrack and XTill are registered trademarks of Hugo Vogelsang Maschinenbau GmbH.


The registered trademarks are not always designated with a ® symbol in this document.

Contents

Exploded view	4
Gearbox housing and accessories	5
Position 1-17+28	5
PTO shaft	5
Position 30/ 31	5
Motor shaft.....	6
Position 30-32	6
Fitting key	6
Position 33-34	6
Bearing seal housing + accessories	6
Position 35-36	6
Wear plate	6
Position 37-38	6
Cover flange	7
Position 39	7
Gasket for pump housing segment	7
Position 40	7
Pump housing segment.....	7
Position 41	7
Preload	7
Position 44-48	7
Lifting eye bolt.....	7
Position 49	7
O-ring	8
Position 50	8
Rotary lobes	8
HiFlo	9
Position 51	9
HiFlo plus.....	11
Position 54	11
Rotary lobes; bi-lobe.....	12
Position 51	12
Solid material rotary lobes	13
HiFlo	13
Position 51	13
O-ring for solid material lobes	13
Position 52-53	13
HiFlo plus.....	13
Position 54	13
Cover and accessories	14
Position 55-56	14
Screws and accessories.....	14
Pos. 60-73.....	14
Buffer chamber enlargement	14
Position 74	14
Intermediate flange	14
Position 75-78	14
Cartridge mechanical seal.....	15
Pos. 79.....	15
"Loose parts" for Cartridge mechanical seal	15
Bearing seal housing + accessories	16
Position 80-95	16
Component mechanical seal.....	17
Pos. 200-213.....	17
Tools.....	18
Material for connectors.....	18
Necessary spare parts for rotary lobe change	19
Necessary spare parts for Cartridge mechanical seal change	20
Necessary spare parts for component mechanical seal change.....	21
Necessary spare parts for wear part replacement with Cartridge mechanical seal.....	22
Necessary spare parts for wear part replacement with component mechanical seal	23

Exploded view

IP1128485 05.10.2011



Gearbox housing and accessories

Position 1-17+28

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
1	PGP.B111.T1	Gear box housing				1	1	1	1	1	1
2	DOR.086	O-ring	59 x 3	NBR; for motor shaft		1	1	1	1	1	1
	DOR.086.VI	O-ring	59 x 3	FPM; for motor shaft		1	1	1	1	1	1
3	PRS.B108	Plug disk for gear box housing		For motor shaft		1	1	1	1	1	1
4	NLG.029	Cylindrical roller bearing	ø55 x ø100			2	2	2	2	2	2
5	NSR.010	Retaining ring	AS 55 x 3	DIN 471		2	2	2	2	2	2
For motor shaft											
6	DWD.060.HNB	Radial shaft seal	50 x 65 x 7	HNBR		1	1	1	1	1	1
	DWD.060.VI	Radial shaft seal	50 x 65 x 7	FPM							
For PTO shaft											
6	DWD.060.HNB	Radial shaft seal	50 x 65 x 7	HNBR		2	2	2	2	2	2
	DWD.060.VI	Radial shaft seal	50 x 65 x 7	FPM							
7	NSR.034	Circlip	65 x 3.8 x 0.82			2	2	2	2	2	2
8	NSP.023	Spring pin	13 x 22	ISO 8752		4	4	4	4	4	4
	NSP.025	Spring pin	8 x 24	ISO 8752		4	4	4	4	4	4
9	NFR.003	Lock washer	ø10	DIN 127		16	16	16	16	16	16
10	NSI.001	Hex socket head screw	M10 x 40	DIN 912		10	10	10	10	10	10
11	PRS.B006	Distance sleeve		Floating bearing		2	2	2	2	2	2
12	PZH.003	Gear				2	2	2	2	2	2
13	PRS.B005	Distance sleeve		Fixed bearing		2	2	2	2	2	2
14	PFL.B010	Fixing plate for bearing				2	2	2	2	2	2
15	NUS.066	Locking washer	10.5 mm	DIN 432		6	6	6	6	6	6
16	NSK.027	Hexagon head screw	M10 x 25	DIN 933		6	6	6	6	6	6
17	NLG.026	Spherical roller bearing	22212 E1			2	2	2	2	2	2
	NLG.026.T1	Spherical roller bearing	22212 E	(Option)							
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							

PTO shaft

Position 30/ 31

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
30/31	PWL.B013	PTO shaft	VX136-70-S-QD			2	-	-	-	-	-
	PWL.B014	PTO shaft	VX136-105-S-QD			-	2	-	-	-	-
	PWL.B015	PTO shaft	VX136-140-S-QD			-	-	2	-	-	-
	PWL.B016	PTO shaft	VX136-210-S-QD			-	-	-	2	-	-
	PWL.B017	PTO shaft	VX136-280-S-QD			-	-	-	-	2	-
	PWL.B018	PTO shaft	VX136-420-S-QD			-	-	-	-	-	2

Motor shaft

Position 30-32

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
30	PWL.B007	Motor shaft	VX136-70-MK-QD	Short		1	-	-	-	-	-
	PWL.B008	Motor shaft	VX136-105-MK-QD	Short		-	1	-	-	-	-
	PWL.B009	Motor shaft	VX136-140-MK-QD	Short		-	-	1	-	-	-
	PWL.B010	Motor shaft	VX136-210-MK-QD	Short		-	-	-	1	-	-
	PWL.B011	Motor shaft	VX136-280-MK-QD	Short		-	-	-	-	1	-
	PWL.B012	Motor shaft	VX136-420-MK-QD	Short		-	-	-	-	-	1
31	PWL.B001	Motor shaft	VX136-70-MK-QD	Long		1	-	-	-	-	-
	PWL.B002	Motor shaft	VX136-105-ML-QD	Long		-	1	-	-	-	-
	PWL.B003	Motor shaft	VX136-140-ML-QD	Long		-	-	1	-	-	-
	PWL.B004	Motor shaft	VX136-210-ML-QD	Long		-	-	-	1	-	-
	PWL.B005	Motor shaft	VX136-280-ML-QD	Long		-	-	-	-	1	-
	PWL.B006	Motor shaft	VX136-420-ML-QD	Long		-	-	-	-	-	1
	PWL.B001.H	Hollow shaft ⁽⁷⁾	VX136-70-MH-QD			1	-	-	-	-	-
	PWL.B002.H	Hollow shaft ⁽⁷⁾	VX136-105-MH-QD			-	1	-	-	-	-
	PWL.B003.H	Hollow shaft ⁽⁷⁾	VX136-140-MH-QD			-	-	1	-	-	-
	PWL.B004.H	Hollow shaft ⁽⁷⁾	VX136-210-MH-QD			-	-	-	1	-	-
	PWL.B005.H	Hollow shaft ⁽⁷⁾	VX136-280-MH-QD			-	-	-	-	1	-
	PWL.B006.H	Hollow shaft ⁽⁷⁾	VX136-420-MH-QD			-	-	-	-	-	1
32	NPF.046	Key	A 12 x 8 x 90	For motor-shaft long		1	1	1	1	1	1

⁽⁷⁾ for hydraulic motor

Fitting key

Position 33-34

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
33	NPF.022	Key	B 14 x 9 x 35	DIN 6885		2	2	2	2	2	2
34	NPF.010	Key	B 14 x 9 x 28			2	-	-	-	-	-
	NPF.011	Key	B 14 x 9 x 56			-	2	-	2	2	2
	NPF.023	Key	B 14 x 9 x 90			-	-	-	-	4	-
	NPF.013	Key	B 14 x 9 x 100			-	-	2	-	-	2
	NPF.012	Key	B 14 x 9 x 110			-	-	-	2	-	4

Bearing seal housing + accessories

Position 35-36

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
35	DOR.035	O-ring	245 x 5	NBR		1	1	1	1	1	1
	DOR.035.VI	O-ring	245 x 5	FPM							
36	PGP.B110.T2	Bearing seal housing		Stainless steel		1	1	1	1	1	1

Wear plate

Position 37-38

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
37	PFL.B009.E	Wear plate		1.4571		2	2	2	2	2	2
	PFL.B009.E.G2	Wear plate		Plasma-hardened							
	PFL.B009.E.G1	Wear plate		Tungsten carbide coated + shim							
37	DAD.B004	Shim	0.3 mm	PA6 Polyamide		2	2	2	2	2	2
	DAD.B005	Shim	0.5 mm	PA6 Polyamide		2	2	2	2	2	2
38	NSK.025.EE	Hex socket head screw	M10 x 16	DIN 933; stainless steel		4	4	4	4	4	4

Cover flange

Position 39

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
39	PGP.B004.T1.E	Cover flange		Stainless steel		1	1	1	1	1	1

Gasket for pump housing segment

Position 40

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
40	DAD.007	Gasket		Asbestos-free		4	4	4	4	6	6

Pump housing segment

Position 41

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
41	PGP.015.E	Pump housing segment	70	1.4581		2	-	-	-	-	-
	PGP.100.E	Pump housing segment	105	1.4581		-	2	-	-	-	-
	PGP.013.E	Pump housing segment	140	1.4581		-	-	2	-	4	-
	PGP.014.E	Pump housing segment	210	1.4581		-	-	-	2	-	4
	PGP.015.E.G1	Pump housing segment	70	Tungsten carbide coated		2	-	-	-	-	-
	PGP.100.E.G1	Pump housing segment	105	Tungsten carbide coated		-	2	-	-	-	-
	PGP.013.E.G1	Pump housing segment	140	Tungsten carbide coated		-	-	2	-	4	-
	PGP.014.E.G1	Pump housing segment	210	Tungsten carbide coated		-	-	-	2	-	4
	PGP.013.E.G2	Pump housing segment	140	Plasma hardened		-	-	2	-	4	-

Injection I

41	PGP.B122.E	Pump housing segment	70			2	-	-	-	-	-
	PGP.B123.E	Pump housing segment	105			-	2	-	-	-	-
	PGP.B120.E	Pump housing segment	140			-	-	2	-	4	-
	PGP.B121.E	Pump housing segment	210			-	-	-	2	-	4
	PGP.B122.E.G1	Pump housing segment	70	Coated with tungsten carbide		2	-	-	-	-	-
	PGP.B123.E.G1	Pump housing segment	105	Coated with tungsten carbide		-	2	-	-	-	-
	PGP.B120.E.G1	Pump housing segment	140	Coated with tungsten carbide		-	-	2	-	4	-
	PGP.B121.E.G1	Pump housing segment	210	Coated with tungsten carbide		-	-	-	2	-	4

Preload

Position 44-48

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
44	NTF.002	Disk spring	71 x 36 x 4	DIN 2093		4	4	4	4	4	4
45	PRS.B117	Pressure disk				2	2	2	2	2	2
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2

Lifting eye bolt

Position 49


Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
49	NKS.006	Lifting eye bolt	M12	DIN 580		1	1	1	1	2	2

O-ring

Position 50

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							

Rotary lobes



HiFlo

Position 51

HiFlo SBR

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL	Rotary lobe	70-4K45-L HiFlo	SBR		1	-	-	-	-	-
	PKB.B101.TR	Rotary lobe	70-4K45-R HiFlo	SBR		1	-	-	-	-	-
	PKB.B102.TL	Rotary lobe	105-4K45-L HiFlo	SBR		-	1	-	2 (1)	-	-
	PKB.B102.TR	Rotary lobe	105-4K45-R HiFlo	SBR		-	1	-	2 (1)	-	-
	PKB.B103.TL	Rotary lobe	140-4K45-L HiFlo	SBR		-	-	1	-	2 (1)	3
	PKB.B103.TR	Rotary lobe	140-4K45-R HiFlo	SBR		-	-	1	-	2 (1)	3

HiFlo NBR

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL.NB	Rotary lobe	70-4K45-L HiFlo	NBR		1	-	-	-	-	-
	PKB.B101.TR.NB	Rotary lobe	70-4K45-R HiFlo	NBR		1	-	-	-	-	-
	PKB.B102.TL.NB	Rotary lobe	105-4K45-L HiFlo	NBR		-	1	-	2 (1)	-	-
	PKB.B102.TR.NB	Rotary lobe	105-4K45-R HiFlo	NBR		-	1	-	2 (1)	-	-
	PKB.B103.TL.NB	Rotary lobe	140-4K45-L HiFlo	NBR		-	-	1	-	2 (1)	3
	PKB.B103.TR.NB	Rotary lobe	140-4K45-R HiFlo	NBR		-	-	1	-	2 (1)	3
	PKB.B101.TL.NBW	Rotary lobe	70-4K45-L HiFlo	NBR white		1	-	-	-	-	-
	PKB.B101.TR.NBW	Rotary lobe	70-4K45-R HiFlo	NBR white		1	-	-	-	-	-
	PKB.B102.TL.NBW	Rotary lobe	105-4K45-L HiFlo	NBR white		-	1	-	2 (1)	-	-
	PKB.B102.TR.NBW	Rotary lobe	105-4K45-R HiFlo	NBR white		-	1	-	2 (1)	-	-
	PKB.B103.TL.NBW	Rotary lobe	140-4K45-L HiFlo	NBR white		-	-	1	-	2 (1)	3
	PKB.B103.TR.NBW	Rotary lobe	140-4K45-R HiFlo	NBR white		-	-	1	-	2 (1)	3

HiFlo EPDM

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL.SL	Rotary lobe	70-4K45-L HiFlo	EPDM-SL		1	-	-	-	-	-
	PKB.B101.TR.SL	Rotary lobe	70-4K45-R HiFlo	EPDM-SL		1	-	-	-	-	-
	PKB.B102.TL.SL	Rotary lobe	105-4K45-L HiFlo	EPDM-SL		-	1	-	2 (1)	-	-
	PKB.B102.TR.SL	Rotary lobe	105-4K45-R HiFlo	EPDM-SL		-	1	-	2 (1)	-	-
	PKB.B103.TL.SL	Rotary lobe	140-4K45-L HiFlo	EPDM-SL		-	-	1	-	2 (1)	3
	PKB.B103.TR.SL	Rotary lobe	140-4K45-R HiFlo	EPDM-SL		-	-	1	-	2 (1)	3
	PKB.B101.TL.EPW	Rotary lobe	70-4K45-L HiFlo	EPDM white		1	-	-	-	-	-
	PKB.B101.TR.EPW	Rotary lobe	70-4K45-R HiFlo	EPDM white		1	-	-	-	-	-
	PKB.B102.TL.EPW	Rotary lobe	105-4K45-L HiFlo	EPDM white		-	1	-	2 (1)	-	-
	PKB.B102.TR.EPW	Rotary lobe	105-4K45-R HiFlo	EPDM white		-	1	-	2 (1)	-	-
	PKB.B103.TL.EPW	Rotary lobe	140-4K45-L HiFlo	EPDM white		-	-	1	-	2 (1)	3
	PKB.B103.TR.EPW	Rotary lobe	140-4K45-R HiFlo	EPDM white		-	-	1	-	2 (1)	3

() quantity for HiFlo plus

HiFlo FPM

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL.VI	Rotary lobe	70-4K45-L HiFlo	FPM ⁽¹⁾		1	-	-	-	-	-
	PKB.B101.TR.VI	Rotary lobe	70-4K45-R HiFlo	FPM ⁽¹⁾		1	-	-	-	-	-
	PKB.B102.TL.VI	Rotary lobe	105-4K45-L HiFlo	FPM ⁽¹⁾		-	1	-	2 (1)	-	-
	PKB.B102.TR.VI	Rotary lobe	105-4K45-R HiFlo	FPM ⁽¹⁾		-	1	-	2 (1)	-	-
	PKB.B103.TL.VI	Rotary lobe	140-4K45-L HiFlo	FPM ⁽¹⁾		-	-	1	-	2 (1)	3
	PKB.B103.TR.VI	Rotary lobe	140-4K45-R HiFlo	FPM ⁽¹⁾		-	-	1	-	2 (1)	3

⁽¹⁾ max. 6 bar [87 psi], please pay attention to the admissible pressure of pump!

HiFlo WEROBUST

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL.PU	Rotary lobe	70-4K45-L HiFlo	WEROBUST ⁽²⁾		1	-	-	-	-	-
	PKB.B101.TR.PU	Rotary lobe	70-4K45-R HiFlo	WEROBUST ⁽²⁾		1	-	-	-	-	-
	PKB.B102.TL.PU	Rotary lobe	105-4K45-L HiFlo	WEROBUST ⁽²⁾		-	1	-	2 (1)	-	-
	PKB.B102.TR.PU	Rotary lobe	105-4K45-R HiFlo	WEROBUST ⁽²⁾		-	1	-	2 (1)	-	-
	PKB.B103.TL.PU	Rotary lobe	140-4K45-L HiFlo	WEROBUST ⁽²⁾		-	-	1	-	2 (1)	3
	PKB.B103.TR.PU	Rotary lobe	140-4K45-R HiFlo	WEROBUST ⁽²⁾		-	-	1	-	2 (1)	3

⁽²⁾ Attention! Usable up to 50°C medium temperature, only!

HiFlo CSM Hypalon

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B101.TL.CSM	Rotary lobe	70-4K45-L HiFlo	CSM		1	-	-	-	-	-
	PKB.B101.TR.CSM	Rotary lobe	70-4K45-R HiFlo	CSM		1	-	-	-	-	-
	PKB.B102.TL.CSM	Rotary lobe	105-4K45-L HiFlo	CSM		-	1	-	2 (1)	-	-
	PKB.B102.TR.CSM	Rotary lobe	105-4K45-R HiFlo	CSM		-	1	-	2 (1)	-	-

() quantity for HiFlo *plus*

HiFlo plus
Position 54

HiFlo SBR

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54		Rotary lobe	105-4K45-L HiFloplus	SBR		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	SBR		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	SBR		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	SBR		-	-	-	-	(1)	-

HiFlo NBR

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54	PKB0011	Rotary lobe	105-4K45-L HiFloplus	NBR		-	-	-	(1)	-	-
	PKB0012	Rotary lobe	105-4K45-R HiFloplus	NBR		-	-	-	(1)	-	-
	PKB0009	Rotary lobe	140-4K45-L HiFloplus	NBR		-	-	-	-	(1)	-
	PKB0010	Rotary lobe	140-4K45-R HiFloplus	NBR		-	-	-	-	(1)	-
		Rotary lobe	105-4K45-L HiFloplus	NBR white		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	NBR white		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	NBR white		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	NBR white		-	-	-	-	(1)	-

HiFlo EPDM

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54		Rotary lobe	105-4K45-L HiFloplus	EPDM-SL		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	EPDM-SL		-	-	-	(1)	-	-
	PKB0013	Rotary lobe	140-4K45-L HiFloplus	EPDM-SL		-	-	-	-	(1)	-
	PKB0014	Rotary lobe	140-4K45-R HiFloplus	EPDM-SL		-	-	-	-	(1)	-
		Rotary lobe	105-4K45-L HiFloplus	EPDM white		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	EPDM white		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	EPDM white		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	EPDM white		-	-	-	-	(1)	-

HiFlo FPM

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54		Rotary lobe	105-4K45-L HiFloplus	FPM ⁽¹⁾		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	FPM ⁽¹⁾		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	FPM ⁽¹⁾		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	FPM ⁽¹⁾		-	-	-	-	(1)	-

⁽¹⁾ max. 6 bar [87 psi], please pay attention to the admissible pressure of pump!

HiFlo WEROBUST

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54		Rotary lobe	105-4K45-L HiFloplus	WEROBUST ⁽²⁾		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	WEROBUST ⁽²⁾		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	WEROBUST ⁽²⁾		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	WEROBUST ⁽²⁾		-	-	-	-	(1)	-

⁽²⁾ Attention! Usable up to 50°C medium temperature, only!

HiFlo CSM Hypalon

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54	PKB0039	Rotary lobe	105-4K45-L HiFloplus	CSM		-	-	-	(1)	-	-
	PKB0040	Rotary lobe	105-4K45-R HiFloplus	CSM		-	-	-	(1)	-	-

() quantity for HiFlo plus

Rotary lobes; bi-lobe

Position 51

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B018.Q	Rotary lobes; bi-lobe	70	NBR		2	-	-	-	-	-
	PKB.B035.Q	Rotary lobes; bi-lobe	105	NBR		-	2	-	4	-	-
	PKB.B028.Q	Rotary lobes; bi-lobe	140	NBR		-	-	2	-	4	6
	PKB.B018.QF	Rotary lobes; bi-lobe	70	NBR large rubber line		2	-	-	-	-	-
	PKB.B035.QF	Rotary lobes; bi-lobe	105	NBR large rubber line		-	2	-	4	-	-
	PKB.B018.QW	Rotary lobes; bi-lobe	70	NBR white		2	-	-	-	-	-
	PKB.B028.QW	Rotary lobes; bi-lobe	140	NBR white		-	-	2	-	4	6
	PKB.B016.Q	Rotary lobes; bi-lobe	70	SBR 70		2	-	-	-	-	-
	PKB.B033.Q	Rotary lobes; bi-lobe	105	SBR 70		-	2	-	4		
	PKB.B026.Q	Rotary lobes; bi-lobe	140	SBR 70		-	-	2	-	4	6
	PKB.B021.Q.SL	Rotary lobes; bi-lobe	70	EPDM-SL		2	-	-	-	-	-
	PKB.B034.Q.SL	Rotary lobes; bi-lobe	105	EPDM-SL		-	2	-	4	-	-
	PKB.B030.Q.SL	Rotary lobes; bi-lobe	140	EPDM-SL		-	-	2	-	4	6
	PKB.B022.Q	Rotary lobes; bi-lobe	70	FPM ⁽¹⁾		2	-	-	-	-	-
	PKB.B037.Q	Rotary lobes; bi-lobe	105	FPM ⁽¹⁾		-	2	-	4	-	-
	PKB.B031.Q	Rotary lobes; bi-lobe	140	FPM ⁽¹⁾		-	-	2	-	4	6
	PKB.B023.Q	Rotary lobes; bi-lobe	70	WEROBUST ⁽²⁾		2	-	-	-	-	-
	PKB.B036.Q	Rotary lobes; bi-lobe	105	WEROBUST ⁽²⁾		-	2	-	4	-	-
	PKB.B025.Q	Rotary lobes; bi-lobe	140	WEROBUST ⁽²⁾		-	-	2	-	4	6
51	PKB.B041.N1.E	Rotary lobes; bi-lobe	70	1.4571 ⁽³⁾		2		4	-	-	-
	PKB.B042.N1.E	Rotary lobes; bi-lobe	105	1.4571 ⁽³⁾		-	2	-	4	-	-
	PKB.B023.Q	Rotary lobes; bi-lobe	70	POM ⁽³⁾		2	-	-	-	-	-
	PKB.B036.Q	Rotary lobes; bi-lobe	105	POM ⁽³⁾		-	2	-	4	-	-
	PKB.B025.Q	Rotary lobes; bi-lobe	140	POM ⁽³⁾		-	-	2	-	4	6

⁽¹⁾ max. 6 bar [87 psi], please pay attention to the admissible pressure of pump!

⁽²⁾ Attention! Usable up to 50°C medium temperature, only!

⁽³⁾ + O-ring for solid material lobe

Solid material rotary lobes

HiFlo

Position 51

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
51	PKB.B104.N1.TLE	Rotary lobe	70-4K45-L HiFlo	1.4571 ⁽³⁾		1	-	-	-	-	-
	PKB.B104.N1.TRE	Rotary lobe	70-4K45-R HiFlo	1.4571 ⁽³⁾		1	-	-	-	-	-
	PKB.B105.N1.TLE	Rotary lobe	105-4K45-L HiFlo	1.4571 ⁽³⁾		-	1	-	2 (1)	-	-
	PKB.B105.N1.TRE	Rotary lobe	105-4K45-R HiFlo	1.4571 ⁽³⁾		-	1	-	2 (1)	-	-
	PKB.B106.N1.TLE	Rotary lobe	140-4K45-L HiFlo	1.4571 ⁽³⁾		-	-	1	-	2 (1)	3
	PKB.B106.N1.TRE	Rotary lobe	140-4K45-R HiFlo	1.4571 ⁽³⁾		-	-	1	-	2 (1)	3
51	PKB.B101.TL.POM	Rotary lobe ⁽³⁾	70 4K45 L HiFlo	POM		1	-	-	-	-	-
	PKB.B101.TR.POM	Rotary lobe ⁽³⁾	70 4K45 R HiFlo	POM		1	-	-	-	-	-
	PKB.B102.TL.POM	Rotary lobe ⁽³⁾	105 4K45 L HiFlo	POM		-	1	-	2 (1)	-	-
	PKB.B102.TR.POM	Rotary lobe ⁽³⁾	105 4K45 R HiFlo	POM		-	1	-	2 (1)	-	-
	PKB0015	Rotary lobe ⁽³⁾	140 4K45 L HiFlo	POM		-	-	1	-	2 (1)	3
	PKB0016	Rotary lobe ⁽³⁾	140 4K45 R HiFlo	POM		-	-	1	-	2 (1)	3

⁽³⁾ + O-ring for solid material lobe

() quantity for HiFlo *plus*

O-ring for solid material lobes

Position 52-53

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
52	DOR.039	O-ring ⁽⁵⁾	80 x 2.5	NBR		4	4	4	4	4	4
	DOR.039.EP	O-ring ⁽⁵⁾	80 x 2.5	EPDM							
	DOR.039.VI	O-ring ⁽⁵⁾	80 x 2.5	FPM							
	DOR.039.PT	O-ring ⁽⁵⁾	80 x 2.5	Silicone FEP coated							
53	DOR.162	O-ring ⁽⁵⁾	80 x 4	NBR		-	-	-	2	2	4
	DOR.162.EP	O-ring ⁽⁵⁾	80 x 4	EPDM							
	DOR.162.VI	O-ring ⁽⁵⁾	80 x 4	FPM							
	DOR.162.PT	O-ring ⁽⁵⁾	80 x 4	Silicone FEP coated							

⁽⁵⁾ for solid material lobes

HiFlo *plus*

Position 54

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
54		Rotary lobe	105-4K45-L HiFloplus	1.4571 ⁽³⁾		-	-	-	(1)	-	-
		Rotary lobe	105-4K45-R HiFloplus	1.4571 ⁽³⁾		-	-	-	(1)	-	-
		Rotary lobe	140-4K45-L HiFloplus	1.4571 ⁽³⁾		-	-	-	-	(1)	-
		Rotary lobe	140-4K45-R HiFloplus	1.4571 ⁽³⁾		-	-	-	-	(1)	-
54		Rotary lobe ⁽³⁾	105 4K45 L HiFloplus	POM		-	-	-	(1)	-	-
		Rotary lobe ⁽³⁾	105 4K45 R HiFloplus	POM		-	-	-	(1)	-	-
	PKB0017	Rotary lobe ⁽³⁾	140 4K45 L HiFloplus	POM		-	-	-	-	(1)	-
	PKB0018	Rotary lobe ⁽³⁾	140 4K45 R HiFloplus	POM		-	-	-	-	(1)	-

⁽³⁾ + O-ring for solid material lobe

() quantity for HiFlo *plus*

Cover and accessories

Position 55-56

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
55	NIR.019	Inner ring	JR 45 x 50 x 20	For motor shaft		1	1	1	1	1	1
				For PTO shaft		2	2	2	2	2	2
56	PFL.B011.T5.N1	Cover				1	1	1	1	1	1

Screws and accessories

Pos. 60-73

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
60	DKR.005	Copper ring	C16 x 22 x 2	DIN 7603		10	10	10	10	10	10
61	NSK.088	Screw plug	M16 x 1.5	Magnetic		3	3	3	3	3	3
62	NSK.081	Screw plug	M16 x 1.5	DIN 910		7	7	7	7	7	7
63	NSK.072	Hexagon head screw	M10 x 65	DIN 931		-	12	12	12	12	12
64	NSK0055	Hexagon head screw	M10 x 65	DIN 933		-	12	12	10	12	12
	NGS0001	Threaded bolt	M10 x 180	DIN 976		12	-	-	-	-	-
65	NUS.004	Washer	A 10.5 x 20 x 2	DIN 125		-	48	48	48	72	72
66	NMK.001	Hexagon nut	M10	DIN 985-8		-	24	24	24	36	36
	NMK.018	Hexagon nut	M10	DIN 6331		24	-	-	-	-	-
67	NMS.003	Hexagon nut	M10			8	8	8	8	8	8
69	NSP.004	Spring pin	13 x 40	DIN 7346		4	4	4	4	4	4
70	NSK.010	Hexagon head screw	M10 x 80	DIN 933		6	6	6	6	6	6
71	NSK.080	Hexagon head screw plug	M10 x 1	For motor-shaft		4	4	4	4	4	4
	NKS.001	Grease nipple	M10 x 1	For PTO-shaft							
72	DKR.001	Copper ring	C 10 x 16 x 1	For motor shaft		4	4	4	4	4	4
	BAK.001	Crease nipple cap		For PTO shaft							
73	NSP.013	Spring pin	13 x 24	DIN 7346		8	8	8	8	8	8

Buffer chamber enlargement

Position 74

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
74	PSG.014	Buffer fluid canister		Pressurized		2	2	2	2	2	2
	PSG.014.T1	Quench fluid canister		Ventilated (Option)							
	PSV.002.N1	Pressure valve		(Option)							

Intermediate flange

Position 75-78

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
75	DOR0049	O-ring	282 x 4	NBR		1	1	1	1	1	1
	DOR0050	O-ring	282 x 4	FPM							
76	PGP.B112.E	Intermediate flange				1	1	1	1	1	1
77	NSI.096.EE	Hex socket head screw	M10 x 18	Stainless steel		2	2	2	2	2	2
78	DOR.040	O-ring	M12 x 2	NBR		2	2	2	2	2	2
	DOR.040.EP	O-ring	M12 x 2	EPDM							
	DOR.040.VI	O-ring	M12 x 2	FPM							
	DOR.040.PT	O-ring	M12 x 2	Silicone FEP coated							


Cartridge mechanical seal

Pos. 79

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
1.4571											
79	PBT.B002.E	Cartridge mechanical seal		SiSiC / HNBR		4	4	4	4	4	4
	PBT.B003.E	Cartridge mechanical seal		SiSiC / FPM							
	PBT.B004.E	Cartridge mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B005.E	Cartridge mechanical seal		Duronit / FPM ⁽⁴⁾							
	PBT.B006.E	Cartridge mechanical seal		SiSiC / EPDM							
	PBT.B010.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / HNBR							
	PBT.B011.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / FPM							
	PBT.B012.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / HNBR							
	PBT.B013.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / FPM							
	PBT.B014.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / EPDM							
	PBT.B019.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B037.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / EPDM							
	PBT.B040.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / FPM ⁽⁴⁾							

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

"Loose parts" for Cartridge mechanical seal



Quantity per cartridge

Pos.	Part number	Description	Dimensions	Notes	Rep.	Quantity				
A	DOR.085	O-ring	104 x 3	NBR		1	1	1	1	
	DOR.085.VI	O-ring	104 x 3	FPM						
B	DOR.085	O-ring	104 x 3	NBR		2	2	2	2	
	DOR.085.EP	O-ring	104 x 3	EPDM						
	DOR.085.VI	O-ring	104 x 3	FPM						
	DOR.085.PT	O-ring	104 x 3	Silicone FEP coated						
C	DOR.041	O-ring	60 x 2	NBR		1	1	1	1	
	DOR.041.VI	O-ring	60 x 2	FPM						
D	NUS.029	Shim				1	1	1	1	

These positions are contained in the Cartridge mechanical seal as "loose parts".

For component mechanical seal, see pos. 200-213


Bearing seal housing + accessories

Position 80-95

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
80	PGP.B112.T1.E	Intermediate flange				1	1	1	1	1	1
81	NSP.031	Spring pin	11 x 18	DIN 7346		2	2	2	2	2	2
82	PGP.B110.T8	Bearing/ seal housing		Stainless steel		1	1	1	1	1	1
83	PRS.B116	O-ring carrier				2	2	2	2	2	2
84	NSR.043	Circlip	60 x 3.8 x 0.82			2	2	2	2	2	2
85	NLG.040	Cylindrical roller bearing	60 x 100 x 28			2	2	2	2	-	-
	NLG.040.T1	Cylindrical roller bearing	60 x 100 x 28			-	-	-	-	2	2
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2
87	PRS.B115	Sleeve				2	2	2	2	2	2
88	PRS.B114.N1	Clamping sleeve		For bearing		2	2	2	2	2	2
89	NTF.004	Disk spring	50 x 25.4 x 3	DIN 2096-A50		6	6	6	6	6	6
90	NSR.042	Circlip	50 x 3.1 x 0.82			2	2	2	2	2	2
91	PFL.B016	Lug				-	-	-	1	-	-
93	NSK.204	Hex head screw	M10 x 80	DIN 933		-	-	-	2	-	-
	NGS.088	Threaded rod	M10 x 100	DIN 976		2	-	-	-	-	-
94	NSK.004	Hex head screw	M10 x 45	DIN 933		-	-	-	-	12	12
95	NSK.214	Hex socket screw plug	M30 x 1,5	DIN 906		2	2	2	2	2	2

Component mechanical seal

Pos. 200-213



IP0301251 08.09.2011


Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
200	PRS.B105.N2.T1E	Seal carrier				4	4	4	4	4	4
201	DOR.085	O-ring	104 x 3	NBR		4	4	4	4	4	4
	DOR.085.VI	O-ring	104 x 3	FPM							
202	DOR.085	O-ring	104 x 3	NBR		8	8	8	8	8	8
	DOR.085.EP	O-ring	104 x 3	EPDM							
	DOR.085.VI	O-ring	104 x 3	FPM							
	DOR.085.PT	O-ring	104 x 3	Silicone FEP coated							
203	DOR.041	O-ring	60 x 2	NBR		6	6	6	6	6	6
	DOR.041.VI	O-ring	60 x 2	FPM							
204	NUS.029	Shim				4	4	4	4	4	4
205	DOR.034	O-ring	72,5 x 6,5	NBR		8	8	8	8	8	8
	DOR.034.EP	O-ring	72,5 x 6,5	EPDM							
	DOR.034.VI	O-ring	72,5 x 6,5	FPM							
	DOR.034.SI	O-ring	72,5 x 6,5	Silicone; check resistance!							
206	DGL.B012	Mechanical seal		Duronit ⁽⁴⁾		8	8	8	8	8	8
	DGL.B012.SC	Mechanical seal		SiSiC (silicone carbide)							
207	DOR.005	O-ring	56 x 2			2	2	2	2	2	2
208	DOR.135	O-ring	90 x 2			2	2	2	2	2	2
209	NSR.032	Circlip				2	2	2	2	2	2
210	PRS.B103.T1	Rotating ring				4	4	4	4	4	4
211	PRS.B104	Distance sleeve				4	4	4	4	4	4
212	DWD.065	Radial shaft seal	70 x 90 x 10			4	4	4	4	4	4
213	PRS.B101.N2.T2E	Seal support				4	4	4	4	4	4

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

Tools




Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
	PBA.B001.T1	Lobe puller	70-280 QD	Check need per operating and maintenance manual		x	x	x	x	x	
	PBA.B001.T2	Lobe puller	420 QD	Check need per operating and maintenance manual							x

On cartridge mechanical seal

	WKZ0172	Tool set Installation/disassembly tool		Cartridge mechanical seal (pos. 79)							
	PBA.B020.N1	Installation tool		Cartridge mechanical seal (pos. 79) Included in WKZ0172							

Check need per operating and maintenance manual

For component mechanical seal

	PBA.B006.N1	Installation tool		Mechanical seal ring (DGL.B012 pos. 206)							
	PBA.B007.N1	Installation tool		Shaft (for DWD.065 pos. 212)							
	PBA.B011	Installation tool		Lip seal (for DWD.065 pos. 212)							

Check need per operating and maintenance manual

Material for connectors

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
	NSK.083	Hex socket screw	M10 x 25	DIN 933; stainless steel		20	24	24	28	32	48
	NUS.004.EE	Washer	A10.5 x 20 x 2	DIN 125; stainless steel		20	24	24	28	32	48
	PFL.010.E	Flange	70			2	-	-	-	-	-
	PFL.057.E	Flange	105			-	2	-	-	-	-
	PFL.005.E	Flange	140			-	-	2	-	-	-
	PFL.006.E	Flange	210			-	-	-	2	-	-
	PFL.026.E	Flange	280			-	-	-	-	2	-
	PFL.029.E	Flange	420			-	-	-	-	-	2
	DFD.011.P	Flange gasket	70			2	-	-	-	-	-
	DFD.033.P	Flange gasket	105			-	2	-	-	-	-
	DFD.005.P	Flange gasket	140			-	-	2	-	-	-
	DFD.006.P	Flange gasket	210			-	-	-	2	-	-
	DFD.117.P	Flange gasket	280			-	-	-	-	2	-
	DFD.119.P	Flange gasket	420			-	-	-	-	-	2

Necessary spare parts for rotary lobe change

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							
34	NPF.010	Key	B 14 x 9 x 28			2	-	-	-	-	-
	NPF.011	Key	B 14 x 9 x 56			-	2	-	2	2	2
	NPF.023	Key	B 14 x 9 x 90			-	-	-	-	4	-
	NPF.013	Key	B 14 x 9 x 100			-	-	2	-	-	2
	NPF.012	Key	B 14 x 9 x 110			-	-	-	2	-	4
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							
51-54		Rotary lobe		See page 10 and follow							
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2

⁽⁵⁾ for solid material lobes

Necessary spare parts for Cartridge mechanical seal change

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							
1.4571											
79	PBT.B002.E	Cartridge mechanical seal		SiSiC / HNBR		4	4	4	4	4	4
	PBT.B003.E	Cartridge mechanical seal		SiSiC / FPM							
	PBT.B004.E	Cartridge mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B005.E	Cartridge mechanical seal		Duronit / FPM ⁽⁴⁾							
	PBT.B006.E	Cartridge mechanical seal		SiSiC / EPDM							
	PBT.B010.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / HNBR							
	PBT.B011.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / FPM							
	PBT.B012.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / HNBR							
	PBT.B013.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / FPM							
	PBT.B014.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / EPDM							
	PBT.B019.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B037.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / EPDM							
	PBT.B040.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / FPM ⁽⁴⁾							
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

Necessary spare parts for component mechanical seal change

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2
201	DOR.085	O-ring	104 x 3	NBR		4	4	4	4	4	4
	DOR.085.VI	O-ring	104 x 3	FPM							
202	DOR.085	O-ring	104 x 3	NBR		8	8	8	8	8	8
	DOR.085.EP	O-ring	104 x 3	EPDM							
	DOR.085.VI	O-ring	104 x 3	FPM							
	DOR.085.PT	O-ring	104 x 3	Silicone FEP coated							
203	DOR.041	O-ring	60 x 2	NBR		6	6	6	6	6	6
	DOR.041.VI	O-ring	60 x 2	FPM							
204	NUS.029	Shim				4	4	4	4	4	4
205	DOR.034	O-ring	72,5 x 6,5	NBR		8	8	8	8	8	8
	DOR.034.EP	O-ring	72,5 x 6,5	EPDM							
	DOR.034.VI	O-ring	72,5 x 6,5	FPM							
	DOR.034.SI	O-ring	72,5 x 6,5	Silicone; check resistance!							
206	DGL.B012	Mechanical seal		Duronit ⁽⁴⁾		8	8	8	8	8	8
	DGL.B012.SC	Mechanical seal		SiSiC (silicone carbide)							
207	DOR.005	O-ring	56 x 2			2	2	2	2	2	2
208	DOR.135	O-ring	90 x 2			2	2	2	2	2	2
209	NSR.032	Circlip				2	2	2	2	2	2

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

Necessary spare parts for wear part replacement with Cartridge mechanical seal

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							
34	NPF.010	Key	B 14 x 9 x 28			2	-	-	-	-	-
	NPF.011	Key	B 14 x 9 x 56			-	2	-	2	2	2
	NPF.023	Key	B 14 x 9 x 90			-	-	-	-	4	-
	NPF.013	Key	B 14 x 9 x 100			-	-	2	-	-	2
	NPF.012	Key	B 14 x 9 x 110			-	-	-	2	-	4
37	PFL.B009.E	Wear plate		1.4571		2	2	2	2	2	2
	PFL.B009.E.G2	Wear plate		Plasma-hardened							
	PFL.B009.E.G1	Wear plate		Tungsten carbide coated + shim							
37	DAD.B004	Shim	0.3 mm	PA6 Polyamide		2	2	2	2	2	2
	DAD.B005	Shim	0.5 mm	PA6 Polyamide		2	2	2	2	2	2
38	NSK.025.EE	Hex socket head screw	M10 x 16	DIN 933; stainless steel		4	4	4	4	4	4
40	DAD.007	Gasket		Asbestos-free		4	4	4	4	6	6
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							
51-54		Rotary lobe		See page 10 and follow							
1.4571											
79	PBT.B002.E	Cartridge mechanical seal		SiSiC / HNBR		4	4	4	4	4	4
	PBT.B003.E	Cartridge mechanical seal		SiSiC / FPM							
	PBT.B004.E	Cartridge mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B005.E	Cartridge mechanical seal		Duronit / FPM ⁽⁴⁾							
	PBT.B006.E	Cartridge mechanical seal		SiSiC / EPDM							
	PBT.B010.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / HNBR							
	PBT.B011.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / FPM							
	PBT.B012.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / HNBR							
	PBT.B013.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / FPM							
	PBT.B014.E	Cartridge mechanical seal block ring; single-mechanical seal		Carbon / EPDM							
	PBT.B019.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / HNBR ⁽⁴⁾							
	PBT.B037.E	Cartridge mechanical seal block ring; single-mechanical seal		SiSiC / EPDM							
	PBT.B040.E	Cartridge mechanical seal block ring; single-mechanical seal		Duronit / FPM ⁽⁴⁾							
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

⁽⁵⁾ for solid material lobes

Necessary spare parts for wear part replacement with component mechanical seal

Pos.	Part number	Description	Dimensions	Notes	Qty.	70	105	140	210	280	420
28	DOR.041	O-ring	60 x 2	NBR		2	2	2	2	2	2
	DOR.041.VI	O-ring	60 x 2	FPM							
34	NPF.010	Key	B 14 x 9 x 28			2	-	-	-	-	-
	NPF.011	Key	B 14 x 9 x 56			-	2	-	2	2	2
	NPF.023	Key	B 14 x 9 x 90			-	-	-	-	4	-
	NPF.013	Key	B 14 x 9 x 100			-	-	2	-	-	2
	NPF.012	Key	B 14 x 9 x 110			-	-	-	2	-	4
37	PFL.B009.E	Wear plate		1.4571		2	2	2	2	2	2
	PFL.B009.E.G2	Wear plate		Plasma-hardened							
	PFL.B009.E.G1	Wear plate		Tungsten carbide coated + shim							
37	DAD.B004	Shim	0.3 mm	PA6 Polyamide		2	2	2	2	2	2
	DAD.B005	Shim	0.5 mm	PA6 Polyamide		2	2	2	2	2	2
38	NSK.025.EE	Hex socket head screw	M10 x 16	DIN 933; stainless steel		4	4	4	4	4	4
40	DAD.007	Gasket		Asbestos-free		4	4	4	4	6	6
46	DOR.043	O-ring	64 x 4	NBR		2	2	2	2	2	2
	DOR.043.VI	O-ring	64 x 4	FPM							
48	PRS.102	Anti-fatigue bolt	M16			2	2	2	2	2	2
50	DOR.051	O-ring	280 x 6	NBR		1	1	1	1	1	1
	DOR.051.EP	O-ring	280 x 6	EPDM							
	DOR.051.VI	O-ring	280 x 6	FPM							
	DOR.051.PT	O-ring	280 x 6	Silicone FEP coated							
51-54		Rotary lobe		See page 10 and follow							
86	DOR.053	O-ring	110 x 3	NBR		2	2	2	2	2	2
201	DOR.085	O-ring	104 x 3	NBR		4	4	4	4	4	4
	DOR.085.VI	O-ring	104 x 3	FPM							
202	DOR.085	O-ring	104 x 3	NBR		8	8	8	8	8	8
	DOR.085.EP	O-ring	104 x 3	EPDM							
	DOR.085.VI	O-ring	104 x 3	FPM							
	DOR.085.PT	O-ring	104 x 3	Silicone FEP coated							
203	DOR.041	O-ring	60 x 2	NBR		6	6	6	6	6	6
	DOR.041.VI	O-ring	60 x 2	FPM							
204	NUS.029	Shim				4	4	4	4	4	4
205	DOR.034	O-ring	72,5 x 6,5	NBR		8	8	8	8	8	8
	DOR.034.EP	O-ring	72,5 x 6,5	EPDM							
	DOR.034.VI	O-ring	72,5 x 6,5	FPM							
	DOR.034.SI	O-ring	72,5 x 6,5	Silicone; check resistance!							
206	DGL.B012	Mechanical seal		Duronit ⁽⁴⁾		8	8	8	8	8	8
	DGL.B012.SC	Mechanical seal		SiSiC (silicone carbide)							
207	DOR.005	O-ring	56 x 2			2	2	2	2	2	2
208	DOR.135	O-ring	90 x 2			2	2	2	2	2	2
209	NSR.032	Circlip				2	2	2	2	2	2

⁽⁵⁾ for solid material lobes

⁽⁴⁾ up to 10 bar [145 psi] real operating pressure

VOGELSANG



Hugo Vogelsang Maschinenbau GmbH

Holthöge 10-14
49632 Essen/Oldb.

Phone: +49 (0) 54 34 83 0

Fax: +49 (0) 54 34 83 10

vogelsang-gmbh.com

info@vogelsang-gmbh.com

ENGINEERED TO WORK

USA
Vogelsang USA Inc.
vogelsangusa.com

Spanien
Vogelsang S.L.
vogelsang-spain.es

Schweden
Vogelsang Sverige AB
vogelsang.se

Großbritannien
Vogelsang Ltd.
vogelsang.co.uk

Australien
Vogelsang Pty. Ltd.
vogelsang.com.au

Malaysia
Vogelsang Malaysia
vogelsang.info

Frankreich
Vogelsang France S.A.R.L.
vogelsang.fr

Indien
Vogelsang India Private Limited
vogelsangindia.com

Finnland
Vogelsang Oy
vogelsang.fi

Italien
Vogelsang Italy Srl
vogelsang-srl.it

Tschechische Republik
Vogelsang CZ s.r.o.
vogelsang-czech.cz

Irland
Vogelsang Irland
vogelsang.ie

Polen
Vogelsang Poland Sp. z o.o.
vogelsang.pl

Dänemark
Vogelsang A/S
vogelsang-as.dk

Deutschland - Niederlassung Ost
Vogelsang Lutherstadt Eisleben
vogelsang-gmbh.com

Rumänien
Vogelsang Romania SRL
vogelsang.ro

Brasilien
Vogelsang Brasil Ltda.
vogelsang.com.br

China
Vogelsang Mechanical Engineering (Shanghai) Co.
vogelsang.com.cn

Mexico
Vogelsang De México S.de R.L. de CV
vogelsang .mx